

**=> IFW:      Scan as Doc Code: SRNT    <=  
                 Doc Date:**

## **TC 3700 Inventor Search Program**

See attached inventor searches for applications and/or patents to help resolve questions of overlapping subject matter. These searches are provided as an initial examination aid: examiners should perform updated or expanded PALM or EAST inventors searches as appropriate.

---

**Serial Number:**      10822.833

**1.) See attached printout of inventors listed in  
PALM**

**2.) See attached EAST Inventor Search  
Printout shows Inventor search terms**

Day : Wednesday

Date: 3/1/2006

Time: 11:37:46

 PALM INTRANET

## Inventor Information for 10/822833

Inventor Name	City	State/Country
OYAMA, NOBUYA	CHUO-KU	JAPAN
OTA, NORIKAZU	CHUO-KU	JAPAN
KOIDE, SOJI	CHUO-KU	JAPAN
SASAKI, TETSURO	CHUO-KU	JAPAN
FUKUROI, OSAMU	HONG KONG	CHINA

<a href="#">Appln Info</a>	<a href="#">Contents</a>	<a href="#">Petition Info</a>	<a href="#">Atty/Agent Info</a>	<a href="#">Continuity Data</a>	<a href="#">Foreign Data</a>
----------------------------	--------------------------	-------------------------------	---------------------------------	---------------------------------	------------------------------

Search Another: Application#

or Patent#

PCT /      /

or PG PUBS #

Attorney Docket #

Bar Code #

To go back use Back button on your browser toolbar.

Back to [PALM](#) | [ASSIGNMENT](#) | [OASIS](#) | [Home page](#)

US 20060044683 A1	US-PGPUB	20060302	Thin film magnetic head structure, method of manufacturing the same, and method of manufacturing thin film magnetic head	0/126 Matono; Naoto et al.
US 20060042652 A1	US-PGPUB	20060302	Wash-target holder and method for washing wash-target using the same	134/1 Satoyoshi; Tatsuya et al.
134/184				
US 20060007594 A1	US-PGPUB	20060112	Thin-film magnetic head with a heater, head gimbal assembly with the thin-film magnetic head and magnetic disk drive apparatus with the head gimbal assembly	Umehara; Tsuyoshi et al.
360/128				
US 20050270694 A1	US-PGPUB	20051208	Thin-film magnetic head with heater in overcoat multilayer, head gimbal assembly with thin-film magnetic head, and magnetic disk drive apparatus with head gimbal assembly	Umehara; Tsuyoshi et al.
360/317				
US 20050237673 A1	US-PGPUB	20051027	Method for grinding a bar of thin film magnetic elements utilizing a plurality of resistive films	360/313 Mizoguchi, Yoshiyuki et al.
US 20050231857 A1	US-PGPUB	20051020	Method of manufacturing spin valve film	360/324.12 Amano, Hajime et al.
US 20050118934 A1	US-PGPUB	20050602	Method for shaping air bearing surface of magnetic head slider and manufacturing method of magnetic head slider	451/41 Fukuroi, Osamu
451/60				
US 20050047016 A1	US-PGPUB	20050303	Head slider and manufacturing method thereof	360/234.5 Koide, Soji et al.
US 20050041340 A1	US-PGPUB	20050224	Method of making thin film magnetic head	360/324 Sasaki, Tetsuro et al.
360/128				
US 20050030666 A1	US-PGPUB	20050210	Thin film magnetic head, head gimbal assembly, and hard disk drive	360/128 Sasaki, Tetsuro et al.
US 20050007699 A1	US-PGPUB	20050113	Flying head slider and manufacturing method of the head slider	360/235.7 Ohno, Morihiro et al.
US 20050005426 A1	US-PGPUB	20050113	Manufacturing method of flying magnetic head slider	29/603.12 Ohno, Morihiro et al.
29/603.07				
US 20040259474 A1	US-PGPUB	20041223	Magnetic head bar holding unit, lapping device, and method of lapping medium-opposing surface of thin-film magnetic head	451/5 Oyama, Nobuya et al.

451/41; 451/8	.			
US 20040257706 A1	US-PGPUB	20041223	Head slider, head gimbal assembly, and hard disk drive	360/234.5 Ota, Norikazu et al.
US 20040235394 A1	US-PGPUB	20041125	Method of lapping medium-opposing surface in thin-film magnetic head	451/7 Ota, Norikazu et al.
451/54	.			
US 20040201920 A1	US-PGPUB	20041014	Thin-film magnetic head, head gimbal assembly, and hard disk drive	360/128 Koide, Soji et al.
360/126; 360/317				
US 20040184192 A1	US-PGPUB	20040923	Head slider, head gimbal assembly, and hard disk drive	360/128 Ota, Norikazu et al
	.			
US 20040179299 A1	US-PGPUB	20040916	Method of producing thin-film magnetic head, thin-film magnetic head, head gimbal assembly, and hard disk drive	360/128 Sasaki, Tetsuro et al.
US 20040165312 A1	US-PGPUB	20040826	Thin-film magnetic head, head gimbal assembly, and hard disk drive	360/128 Koide, Soji et al.
US 20030162480 A1	US-PGPUB	20030828	Magnetic head grinding device and method	451/8  Tohta, Kazushige et al
451/36	.			
US 20030005575 A1	US-PGPUB	20030109	Manufacturing method of magnetoresistive effect sensor and manufacturing method of thin-film magnetic head	29/603.07
29/603.01; 29/603.13; 29/603.14; 29/609				Tsuchiya, Yoshihiro et al.
US 20020170164 A1	US-PGPUB	20021121	Method for shaping air bearing surface of magnetic head slider and manufacturing method of magnetic head slider	29/603.07 Fukuroi, Osamu
29/417; 29/603.16				
US 20020122278 A1	US-PGPUB	20020905	MAGNETORESISTIVE EFFECT MULTI-LAYERED STRUCTURE AND THIN-FILM MAGNETIC HEAD WITH THE MAGNETORESISTIVE EFFECT MULTI-LAYERED STRUCTURE	360/324.11 SHIMAZAWA, KOJI et al.
US 20020119734 A1	US-PGPUB	20020829	Lapping method of magnetic head slider and lapping method of bar	451/41 Fukuroi, Osamu et al.
US	US-PGPUB	20020808	Lapping sensor used in fabrication of magnetic	451/5

20020106974 A1			head with magnetoresistive effect element and lapping control method using the sensor	
451/10; 451/8	Fukuroi, Osamu			
US 20020072298 A1	US-PGPUB	20020613	Polishing apparatus for magnetic head and method therefor	451/5
	Abe, Tetsuo et al.			
US 20020044398 A1	US-PGPUB	20020418	Magnetoresistive effect sensor, thin-film magnetic head with the sensor, manufacturing method of magnetoresistive sensor and manufacturing method of thin-film magnetic head	360/324.12
	Sasaki, Tetsuro et al.			
US 20020029463 A1	US-PGPUB	20020314	Method of manufacturing spin valve film	29/603.14
29/603.07	Amano, Hajime et al.			
US 20020008948 A1	US-PGPUB	20020124	Magnetic transducer and thin film magnetic head	360/324.12
	Sasaki, Tetsuro et al.			
US 20020001671 A1	US-PGPUB	20020103	Method of manufacturing lapping control sensor for magnetoresistive effect head	427/131
	Fukuroi, Osamu et al.			
US 20010045245 A1	US-PGPUB	20011129	Method for manufacturing thin-film magnetic head with spin valve magnetoresistive sensor	148/108
	Shimazawa, Koji et al.			
US 20010024346 A1	US-PGPUB	20010927	Magnetoresistive sensor, a thin film magnetic head, a magnetic head device, and a magnetic disk drive device	360/324.1
360/317	Terunuma, Koichi et al.			
US 6991513 B2	USPAT	20060131	Magnetic head grinding device and method	451/5
451/11; 451/259	Tohta; Kazushige et al.			
US 6945847 B2	USPAT	20050920	Method of lapping medium-opposing surface in thin-film magnetic head	451/7
451/54	Ota; Norikazu et al.			
US 6907654 B2	USPAT	20050621	Method of manufacturing spin valve film	29/603.14
204/192.15; 29/603.07; 29/603.09; 29/603.13;	Amano; Hajime et al.			

360/324.1; 360/324.11; 360/324.12; 427/127; 427/128; 427/129; 427/130; 427/131				
US 6865798 B2	USPAT	20050315	Method for shaping air bearing surface of magnetic head slider	29/603.07
156/268; 156/344; 216/65; 29/417; 29/603.09; 29/603.12; 29/603.14; 29/603.16; 29/603.18; 360/230; 360/237.1; 438/455; 438/458; 438/967	Fukuroi; Osamu□			
US 6679760 B2	USPAT	20040120	Lapping method of magnetic head slider and lapping method of bar	451/41
451/259; 451/272; 451/287; 451/288; 451/905	Fukuroi; Osamu et al.			
US 6636398 B2	USPAT	20031021	Magnetoresistive effect sensor, thin-film magnetic head with the sensor, manufacturing method of magnetoresistive sensor and manufacturing method of thin-film magnetic head	360/324.12
	Sasaki; Tetsuro et al.			
US 6623330 B2	USPAT	20030923	Lapping sensor used in fabrication of magnetic head with magnetoresistive effect element and lapping control method using the sensor	451/5
29/603.1; 29/603.16; 451/8	Fukuroi; Osamu			
US 6565414 B2	USPAT	20030520	Polishing apparatus for magnetic head and method therefor	451/5
451/276; 451/55	Abe; Tetsuo et al.			
US 6563681 B1	USPAT	20030513	Magnetoresistance effect film and magnetoresistance effect type head	360/324.12
	Sasaki; Tetsuro et al.			
US 6478884 B2	USPAT	20021112	Method for manufacturing thin-film magnetic head with spin valve magnetoresistive sensor	148/108
148/121;	Shimazawa;			

29/603.08	Koji et al.			
US 6462917 B2	USPAT	20021008	Magnetoresistive sensor, a thin film magnetic head, a magnetic head device, and a magnetic disk drive device	360/324.1
428/810; 428/816	Terunuma; Koichi et al.			
US 6452750 B1	USPAT	20020917	Slider including a rail having a concave end and method of manufacturing same	360/236.4
360/235.4; 360/236.6; 360/236.7 CIPG 20060101 A G11B G11B5/60 L I R US M 20060101 CICL G11B CIPS G11B5/60 20060101 CIPG 20060101 A G11B G11B5/60 L I R US M 20060101 CICL G11B CIPS G11B5/60 20060101 CIPG 20060101 A G11B G11B21/21 L I R US M 20060101 CICL G11B CIPS G11B21/21; 20060101 CIPG 20060101 A G11B G11B21/21 L I R US M 20060101 CICL G11B CIPS G11B21/21 20060101	Fukuroi; Osamu et al.□			
US 6406556 B1	USPAT	20020618	Method for manufacturing thin-film magnetic head with magnetoresistive effect multi-layered structure	148/108
148/121	Shimazawa; Koji et al.			

US 6400535 B1	USPAT	20020604	Magnetoresistive effect multi-layered structure and thin-film magnetic head with the magnetoresistive effect multi-layered structure	428/811.2
324/252	Shimazawa; Koji et al.			
US 6399148 B1	USPAT	20020604	Method of manufacturing lapping control sensor for magnetoresistive effect head	427/131
29/603.01; 29/603.13; 29/603.14; 427/132	Fukuroi; Osamu et al.			
US 6398623 B1	USPAT	20020604	Processing method of device and processing method of slider	451/36
125/12; 125/20; 451/41; 83/651.1	Fukuroi; Osamu et al.			
US 6364964 B1	USPAT	20020402	Manufacturing method of spin valve magnetoresistive effect element and manufacturing method of thin-film magnetic head with the element	148/121
257/E43.006; 29/603.08	Sasaki; Tetsuro et al.			
US 6319544 B1	USPAT	20011120	Manufacturing method of magnetoresistive effect sensor and manufacturing method of magnetic head with the sensor	427/131
427/132; 427/264; 427/270; 427/271; 427/372.2; 427/383.1; 427/404; 427/548; 427/599	Sasaki; Tetsuro et al.			
US 6302970 B1	USPAT	20011016	Method for manufacturing thin-film magnetic head with spin valve magnetoresistive sensor	148/108
148/121; 29/603.08	Shimazawa; Koji et al.			
US 6294911 B1	USPAT	20010925	Measurement method of magnetization direction of magnetoresistive effect devices and measurement apparatus based on the method of TDK corporation	324/210
324/246; 324/252	Shimazawa; Koji et al.			
US 6093444 A	USPAT	20000725	Magnetoresistive transducer with spin-valve structure and manufacturing method of the same	427/128
204/192.2; 427/129; 427/130; 427/131	Miyauchi; Daisuke et al.			
US 6083081 A	USPAT	20000704	Lapping control sensor for magnetoresistive effect head, lapping control method using the sensor and manufacturing method of the	451/5



			sensor	
29/603.07	Fukuroi; Osamu et al.			
US 5998016 A	USPAT	19991207	Spin valve effect magnetoresistive sensor and magnetic head with the sensor	428/336
257/E43.004; 338/32R; 360/324.12; 428/811.2; 428/900	Sasaki; Tetsuro et al.			
US 5852533 A	USPAT	19981222	Magnetoresistance effect transducer element with continuous central active area	360/324.1
	Miyauchi; Daisuke et al.			
US 4263700 A	USPAT	19810428	Method of producing a fluorescent display tube	445/25
228/180.1; 228/262.9; 29/837; 445/29	Fujisaki; Minolu et al.			
US 4246949 A	USPAT	19810127	Tubeless bias-ply tire with at least one carcass ply ending near bead core without being wrapped therearound	152/541
152/542; 152/543; 152/545; 152/550; 152/554; 152/559; 152/DIG.16	Kawasaki; Takemi et al.			